PANEL:Form MOZAIX Ceiling Panels by MAXXiT GROUP

SCREENING DATE: 2026-07-24
PUBLISHED DATE: 2026-11-04
EXPIRY DATE: 2029-07-24
PREPARER: Self-Prepared

Health Product Declaration v3.0
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 29250642
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 54 00 Specialty Ceilings
PRODUCT TYPE: Ceiling Panels
Ceiling Panels, Acoustical
Ceiling Panels, Metal
Ceiling Panels, Multi-Function
Suspended Ceilings, Specialty
PRODUCT DESCRIPTION: Mozaix products allow you to choose from striking new geometric designs with beautifully curated panel shapes, sizes and patterns that can be mounted to standard HD grid.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format
→ Nested Materials Method

Threshold Disclosed Per
→ Material

Threshold Level
→ 1,000 ppm

Residuals/Impurities Evaluation
Completed in **3** of **4** Materials

Explanation(s) provided for Residuals/Impurities?
Yes

For all contents above the threshold, the manufacturer has:

Characterized Yes
Provided weight and role.

Screened Yes
Provided screening results using HPDC-approved methods.

Identified Yes
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

MOZAIX SUPPORT PAN [CRS - COLD ROLLED STEEL MULTIPLE ZINC - PRIME WESTERN GRADE MULTIPLE] ALUMINUM SHEET [3003 ALUMINUN MULTIPLE] TORSION SPRING [MUSIC WIRE MULTIPLE] POWDER-COAT PAINT - POLYESTER SUPER DURABLE [1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL AND HEXANEDIOIC ACID UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM BARIUM SULFATE BM-2 | CAN | MAM TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | RES | GEN | MAM | EYE | SKI | AQU | REP ZIRCONIUM DIOXIDE LT-P1 | CAN | EYE BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) ((3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)METHYL)BUTYLMALONATE LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]
Special Conditions applied: [Polymers]

Provided screening results using HPDC-approved methods

PFAS DETAILS:

This product does **not** contain intentionally added PFAS, but it is **unknown** if PFAS is contained in materials or substances from suppliers.

Attestation:

2026-07-24

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED
LCA: Environmental Product Declaration (EPD) by Smart EPD

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

MOZAIX SUPPORT PAN

%: 54.0000 - 55.1500

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: formed from ASTM 653 galvanized steel. There may be residual mineral oil present

OTHER MATERIAL NOTES: This support pan is crafted from 100% galvanized steel

CRS - COLD ROLLED STEEL

ID: **UNS G10180**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **90.0000 - 99.5000**

GreenScreen: **MULTIPLE**

RC: **Both**

NANO: **No**

MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

Hazard Screening is not applicable to this Special Condition

ALLOYING ELEMENTS

- **Iron (Fe)**
  CASRN: 7439-89-6
  Percentage: 96 % - 99 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Manganese (Mn)**
  CASRN: 7439-96-5
  Percentage: 0 % - 2 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Chromium (Cr)**
  CASRN: 7440-47-3
  Percentage: 0 % - 1.5 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Nickel (Ni)**
  CASRN: 7440-02-0
  Percentage: 0 % - 1.5 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Carbon (C)**
  CASRN: 7440-44-0
  Percentage: 0 % - 0.6 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Molybdenum (Mo)**
  CASRN: 7439-98-7
  Percentage: 0 % - 0.6 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed
- **Copper (Cu)**
  CASRN: 7440-50-8
  Percentage: 0 % - 0.6 %

Element Role: Alloy element
GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Silicon (Si)**
  CASRN: 7440-21-3
  Percentage: 0 % - 0.6 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Vanadium (V)**
  CASRN: 7440-62-2
  Percentage: 0 % - 0.15 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Phosphorus (P)**
  CASRN: 7723-14-0
  Percentage: 0 % - 0.15 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

MATERIAL CONTENT NOTES: Steel is the most recycled material in the world. The steel recycling institute reports 56.9% post-consumer and 31.4% pre-consumer rates.

ZINC - PRIME WESTERN GRADE

ID: **7440-66-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **0.5000 - 2.0000** GreenScreen: **MULTIPLE** RC: **UNK** NANO: **No** MATERIAL ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

Hazard Screening is not applicable to this Special Condition

ALLOYING ELEMENTS

- **Zinc (Zn)**
  CASRN: 7440-66-6
  Percentage: 99.9 % - 100 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

MATERIAL CONTENT NOTES: Zinc is reclaimed at an estimated 30% recovery rate. Zinc is hot dipped to the CRS base metal forming an alloy with the steel and a galvanic protective coating

ALUMINUM SHEET

%: 40.9400 - 43.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals by ASTM formulation for 3003 grade aluminum sheet.

OTHER MATERIAL NOTES:

3003 ALUMINUN

ID: **a93003**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **100.0000** GreenScreen: **MULTIPLE** RC: **Both** NANO: **Unknown** MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

Hazard Screening is not applicable to this Special Condition

ALLOYING ELEMENTS

- **Aluminum (Al)**
  CASRN: 7429-90-5
  Percentage: 96.8 % - 99.0 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Copper (Cu)**
  CASRN: 7440-50-8
  Percentage: 0.05 % - 0.20 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Iron (Fe)**
  CASRN: 7439-89-6
  Percentage: 0 % - 0.70 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Manganese (Mn)**
  CASRN: 7439-96-5
  Percentage: 1.0 % - 1.5 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Silicon (Si)**
  CASRN: 7440-21-3
  Percentage: 0.0 % - 0.6 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Zinc (Zn)**
  CASRN: 7440-66-6
  Percentage: 0.0 % - 0.10 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

MATERIAL CONTENT NOTES: Aluminum is 100 % and infinitely recyclable and averages 70% to 80% recycled content.

TORSION SPRING

%: 1.5700 - 4.6900

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Music wire is governed by alloy formulation an d residuals will vary by manufacturing location. could be considered hardware

OTHER MATERIAL NOTES:

MUSIC WIRE

ID: **K08500**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

%: **100.0000** GreenScreen: **MULTIPLE** RC: **UNK** NANO: **No** MATERIAL ROLE: **Fastener**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

Hazard Screening is not applicable to this Special Condition

ALLOYING ELEMENTS

- **Manganese (Mn)**
  CASRN: 7439-96-5
  Percentage: 0.3 % - 0.9 %
  Element Role: Alloy element
  GreenScreen Score: N/A

  Additional Hazard Screening not performed

- **Iron (Fe)**
  CASRN: 7439-89-6

Percentage: 9.505 % - 98.655 %
Element Role: Alloy element
GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Silicon (Si)**
  CASRN: 7440-21-3
  Percentage: 0.12 % - 0.32 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Carbon (C)**
  CASRN: 7440-44-0
  Percentage: 0.60 % - 0.95 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Phosphorus (P)**
  CASRN: 7723-14-0
  Percentage: 0 % - 0.025 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Sulfur (S)**
  CASRN: 7704-34-9
  Percentage: 0 % - 0.025 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

- **Copper (Cu)**
  CASRN: 7440-50-8
  Percentage: 0 % - 0.20 %
  Element Role: Alloy element
  GreenScreen Score: N/A

Additional Hazard Screening not performed

MATERIAL CONTENT NOTES: unknown and mill source can vary - commodity item - source country can vary

POWDER-COAT PAINT - POLYESTER SUPER DURABLE %: 1.0000 - 4.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted if the values exceed the reporting threshold

OTHER MATERIAL NOTES: Powder-Coat paint is fully cured on final product

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL AND HEXANEDIOIC ACID

ID: 26141-00-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **45.0000 - 70.0000** GreenScreen: **UNK** RC: **UNK** NANO: **No** POLYMER ROLE: **Powder coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	Hazard Screening not performed	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
	Additional Hazard Screening not performed	

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: 100%

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: Polyester - super durable

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-24 20:45:31**

%: **15.0000 - 40.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Brightener**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Substance is bonded within a solid matrix when cured as paint. It is functionally inert when cured. Hazards present during manufacturing where proper PPE and containment are used.

BARIUM SULFATE

ID: 7727-43-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-24 20:45:31**

%: **3.0000 - 7.0000** GreenScreen: **BM-2** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Substance is bonded within a solid matrix when cured as paint. It is functionally inert when cured. Hazards present during manufacturing where proper PPE and containment are used.

TRIGLYCIDYL ISOCYANURATE

ID: **2451-62-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-24 20:45:32**

%: **3.0000 - 7.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3

SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - New Zealand	Acute oral toxicity category 3
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]
GEN	EU - SVHC List	Mutagenic - Candidate list
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Mixtures Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)

SUBSTANCE NOTES: Substance is bonded within a solid matrix when cured as paint. It is functionally inert when cured. Hazards present during manufacturing where proper PPE and containment are used.

ZIRCONIUM DIOXIDE

ID: **1314-23-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-24 20:45:33**

%: **0.1000 - 1.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
EYE	GHS - New Zealand	Eye irritation category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is bonded within a solid matrix when cured as paint. It is functionally inert when cured. Hazards present during manufacturing where proper PPE and containment are used.

BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) ((3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)METHYL)BUTYLMALONATE

ID: **63843-89-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-07-24 20:45:33**

%: **0.1000 - 1.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is bonded within a solid matrix when cured as paint. It is functionally inert when cured. Hazards present during manufacturing where proper PPE and containment are used.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS — **Inherently non-emitting source per LEED**

COMPLIANCE TYPE: Self-declaration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: ALL FACILITIES
COMPLIANCE URL:
COMPLIANCE NOTES: APPLIES TO ALL POWDERCOATED METAL AND STAINELSS STEEL PRODUCTS

ISSUE DATE: 2026-04-30

EXPIRY DATE: No expiration

LCA — **Environmental Product Declaration (EPD) by Smart EPD**

COMPLIANCE TYPE: Multiple-party certification
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Alison Conroy, Independent Contractor, alisonleeconroy@gmail.com
COMPLIANCE DETAILS:
COMPLIANCE SCOPE: Product Line
APPLICABLE FACILITIES: All
COMPLIANCE URL: https://smartepd.com/epd-library/?owner=cisca.org&epd=6824da79d02c55a4bb7e7f1c
COMPLIANCE NOTES: Maxxit Systems / Maxxit Group participated in this industry averaged EPD

ISSUE DATE: 2025-07-31

EXPIRY DATE: 2030-07-31

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Maxxit's MOZAIX patented ceiling system allows for total freedom of design tessellations while using standard ceiling grids. It consists of downward accessible aluminum ceiling panels that use support panels to interface with the structural grid and allow for off grid mounting points.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **MAXXiT GROUP**
ADDRESS: **1000 Martin Grove Rd**
Toronto, Ontario M9w
COUNTRY: **Canada**

WEBSITE: **www.maxxitgroup.com**
CONTACT NAME: **Jeffrey Walz**
TITLE: **Technical Services Product Manager**
PHONE: **416-241-5161**
EMAIL: **Jeff.walz@maxxitgroup.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.