

HPD UNIQUE IDENTIFIER: 188095852544

CLASSIFICATION: 07 26 16 Below-Grade Vapor Retarders

PRODUCT DESCRIPTION: 10-mil Husky Yellow Guard Vapor Retarder (07 26 00, 03 30 00) is an under-slab vapor retarder engineered for low water vapor permeance and very high puncture resistance. It exceeds the industry standard, ASTM E1745 Class A, material specification and provides durable, long-lasting, moisture vapor protection.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method	<input type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input checked="" type="radio"/> Other	<input type="radio"/> Completed <input type="radio"/> Partially Completed <input checked="" type="radio"/> Not Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>		<b>Explanation(s) provided :</b>	<b>Screened</b> <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i>
<input type="radio"/> Material <input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided name and CAS RN or other identifier.</i>

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None  
Nanomaterial ... No

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**HUSKY YELLOW GUARD 10-MIL VAPOR RETARDER [**  
**POLYETHYLENE [LT-UNK] ADDITIVE 2 [NoGS] ADDITIVE 1 [NoGS]**

### INVENTORY AND SCREENING NOTES:

Threshold level per OSHA MSDS.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Not Applicable

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2025-01-22

PUBLISHED DATE: 2025-01-22

EXPIRY DATE: 2028-01-22

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### HUSKY YELLOW GUARD 10-MIL VAPOR RETARDER

PRODUCT THRESHOLD: Other

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as this is a solid material.

OTHER PRODUCT NOTES:

#### POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-22 5:50:53

%: 96.5000 - 97.5000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyethylene plastic pellets

#### ADDITIVE 2

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-22 5:50:53

%: 1.7500 - 2.2500

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The supplier has only identified this substance as a pigment due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

#### ADDITIVE 1

ID: Undisclosed

---

#: **0.7500 - 1.2500**      GreenScreen: **NoGS**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Anti-adhesive agent**

## HAZARD TYPE

## LIST NAME AND SOURCE

## WARNINGS

---

None found

No warnings found on HPD Priority Hazard Lists

## ADDITIONAL LISTINGS

## LIST NAME AND SOURCE

## NOTIFICATION

---

None found

No listings found on Additional Hazard Lists

---

SUBSTANCE NOTES: The supplier has only identified this substance as an anti-block due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Not Applicable	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2017-07-11 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: Poly-America facilities	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### YELLOW GUARD POLYETHYLENE TAPE MANUFACTURER (OR GENERIC): **Generic**

HPD URL: <http://yellowguard.com/YellowGuardTape.pdf>  
ACCESSORY TYPE: Other  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Pressure sensitive tape recommended for installation of Yellow Guard Vapor Barrier.

## Section 5: General Notes

10-mil Husky Yellow Guard Vapor Retarder (07 26 00, 03 30 00) is an under-slab vapor retarder engineered for low water vapor permeance and very high puncture resistance. It exceeds the industry standard, ASTM E1745 Class A, material specification and provides durable, long-lasting, moisture vapor protection.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Poly-America, L.P.**  
 ADDRESS: **2000 W. Marshall Dr.**  
**Grand Prairie, Texas 75051**  
 COUNTRY: **USA**

WEBSITE: **www.yellowguard.com**  
 CONTACT NAME: **George Yazdani**  
 TITLE: **Technical Manager**  
 PHONE: **972-337-7314**  
 EMAIL: **georgey@poly-america.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

