

HPD UNIQUE IDENTIFIER: 769859592192

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: This HPD covers AquaBead Outside 90, 1/2" & 5/8" L-Trim, 3/4" Bullnose, Flex, and Outside 90 Trim drywall corner reinforcement products. AquaBead drywall corner reinforcement is an easy-to-apply, water-activated, self-adhesive drywall corner that doesn't blister, bubble, dent or crack. AquaBead drywall corner reinforcement is a high performance corner bead made of a high-strength polymer core that is coated with paper on both sides and perforated in a manner that achieves solid coverage with a single pass. Featuring a beaded nose, the product is forgiving to the flaws and variations of edge cuts and surpasses the impact resistance of most metal beads that easily dent and have to be repaired or replaced.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Explanation(s) provided for Residuals/Impurities? Each column contains radio button options and descriptive text.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted when applicable.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
POLYMER BASE STRUCTURAL COMPONENT [ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER NoGS] WATER ACTIVATED TAPE [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK] RES UNDISCLOSED BM-2] END | MAM] PAPER PRODUCT [CELLULOSE, MICROCRYSTALLINE LT-UNK] RES 2,5-FURANDIONE, DIHYDRO-, MONO-C15-20-ALKENYL DERIVS. LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Summary table with 3 columns: Third Party Verified? (Yes/No), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #:, SCREENING DATE: 2025-02-03, PUBLISHED DATE: 2025-02-03, EXPIRY DATE: 2028-02-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

POLYMER BASE STRUCTURAL COMPONENT

#: 65.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and product dimensions as well as ranges identified from the raw material supplier.

ISOPHTHALIC ACID TEREPHTHALIC ACID ETHYLENE GLYCOL POLYMER

ID: 24938-04-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-02-03 6:14:21

#: 87.0000 - 95.0000

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

WATER ACTIVATED TAPE

#: 15.0000 - 20.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-02-03 6:14:21

#: 75.0000 - 99.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-03 6:14:21**

#: **0.0000 - 20.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-03 6:14:22**

#: **0.0000 - 1.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

PAPER PRODUCT

%: 5.0000 - 15.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

There are two suppliers for the Paper Product component which can be interchanged at all manufacturing locations.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-02-03 6:14:22**%: **80.0000 - 100.0000**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

2,5-FURANDIONE, DIHYDRO-, MONO-C15-20-ALKENYL DERIVS.

ID: 68784-12-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-02-03 6:14:23**%: **0.0000 - 0.2000**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-09-27 00:00:00

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All dimensions and production facilities

EXPIRY DATE: 2025-09-25 00:00:00

Laboratories

CERTIFICATE URL:

<https://certainteed.widen.net/content/esx76gy6cu/pdf/Aquabead-GREENGUARD-Gold-2023-Expiration.pdf?u=nwk4fd>

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number - 249712-420 UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material disclosure from the raw material supplier SDS is limited to 1000 ppm threshold. For complete Safety and EHS information on any and all CertainTeed Gypsum Products please see <https://www.certainteed.com/drywall/>. Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
 ADDRESS: **20 Moores Rd**
Malvern, PA 19355
 COUNTRY: **United States**

WEBSITE: **https://www.certainteed.com/drywall/**
 CONTACT NAME: **Gypsum Technical Services**
 TITLE: **Gypsum Technical Services**
 PHONE: **1-800-446-5284**
 EMAIL: **gypsumtechnicalsupport@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

